

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 1014 (1956): Bone-Meal, Steamed [FAD 7: Soil Quality and Gertilizers]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE





Indian Standard

SPECIFICATION FOR BONE-MEAL, STEAMED

U.D.C.

631.852 (083.75) (54)

Heavy Chemicals (Inorganic) Sectional Committee, CDC 3

Chairman
SHRI MADHAV B. BHAGVAT

Members
SHRI P. D. NARGOLWALA
SHRI N. ADHIKARI
SHRI M. C. BAKSHI (*Alternate*)
SHRI S. C. AGGARWAL
SHRI N. G. MITRA (*Alternate*)
SHRI R. G. BHATWADEKAR
SHRI S. RAMANUJAM (*Alternate*)
SHRI B. B. CHAUDHURI
SHRI K. S. VARADACHAR (*Alternate*)
DR. M. M. CHUDGAR
MR. F. R. MOOS (*Alternate*)
DR. D. N. DARUVALLA
DR. N. R. KULLOOR (*Alternate*)
DR. A. N. GHOSH
SHRI K. P. ROY CHOWDHURY (*Alternate*)
DR. J. GUPTA

SHRI T. GUPTA
DR. G. P. KANE
SHRI V. RAMA IYER (*Alternate*)
DR. G. S. KASBEKAR
SHRI S. GAJENDRA SINGH (*Alternate*)
SHRI S. KRISHNAMURTI
SHRI M. L. SETH (*Alternate*)
SHRI S. S. MEHTA
OFFICER ON SPECIAL DUTY

DR. J. V. S. RAMANJANEYULU (*Alternate*)
SHRI V. PODDER
DR. J. C. AGGARWAL (*Alternate*)
SHRI A. A. RAHIMTULA
SHRI CHARAT RAM (*Alternate*)
DR. K. L. RAMASWAMY
DR. V. RANGANATHAN
SHRI C. N. TEWARI (*Alternate*)
DR. S. P. RAYCHAUDHURI
MR. B. RYE
SHRI H. N. MEHROTRA (*Alternate*)
SHRI B. SEN GUPTA

SHRI P. B. SARKAR (*Alternate*)
SHRI M. L. SETH
SHRI J. P. KAPUR (*Alternate*)
SHRI G. V. SHIRODKAR

SHRI M. C. VERGHESE
SHRI S. RAMASWAMY (*Alternate*)
DR. LAL C. VERMAN (*Ex-officio*)

Staff
DR. S. KRISHNAMURTHY
SHRI D. DAS GUPTA

Convener
SHRI M. C. VERGHESE

Members
DR. J. A. DAJI
SHRI V. RAMA IYER
MR. JOHN K. JOHN
MR. JAMES R. JOHNSTON (*Alternate*)
MR. B. LESSWARE
SHRI NARENDRA SINGH
SHRI P. V. PARANJPE
MR. PETER DE JONG
SHRI A. A. RAHIMTULA
SHRI M. L. SETH (*Alternate*)
DR. K. L. RAMASWAMY
DR. S. P. RAYCHAUDHURI
SHRI B. SUNDERMOORTHY
MR. J. E. WATERFIELD
MR. S. M. SMITH (*Alternate*)

Tata Chemicals Ltd., Bombay

(*Alternate* to Shri Madhav B. Bhagvat)
Bengal Chemicals & Pharmaceutical Works Ltd., Calcutta

Salt Commissioner to the Government of India

Railway Board (Ministry of Railways)

Directorate of Technical Development (Ministry of Defence)

The Pioneer Magnesia Works Ltd., Bombay

Shri Ram-Institute for Industrial Research, Delhi

Government Test House, Calcutta

National Chemical Laboratory of India, Poona (Council of Scientific & Industrial Research)

All-India Glass Manufacturers' Federation, New Delhi

Development Wing, Ministry of Commerce & Industry

Directorate General of Ordnance Factories (Ministry of Defence)

Indian Chemical Manufacturers' Association, Calcutta

Tariff Commission, Bombay

Central Salt Research Institute, Bhavnagar (Council of Scientific & Industrial Research)

Indian Paper Mills Association, Calcutta

The Fertilizer Association of India, Hyderabad

Sindri Fertilizers & Chemicals Private Ltd., Sindri

Directorate of Technical Development (Ministry of Defence)

Indian Agricultural Research Institute, New Delhi

Imperial Chemical Industries (India) Private Ltd., Calcutta

Directorate General of Supplies & Disposals (Ministry of Works, Housing & Supply)

The D.C.M. Chemical Works, Delhi

Textile Chemistry Sectional Committee (TDC 5), Indian Standards Institution

The Fertilizers & Chemicals, Travancore Ltd., Alwaye

Director, Indian Standards Institution

Assistant Director (Chem), Indian Standards Institution

Technical Officer (Chem), Indian Standards Institution

Fertilizers and Allied Products Subcommittee, CDC 3:2

The Fertilizers & Chemicals, Travancore Ltd., Alwaye

Ministry of Food & Agriculture
Development Wing, Ministry of Commerce & Industry
Parry & Co. Ltd., Madras

Imperial Chemical Industries (India) Private Ltd., Calcutta
Directorate of Technical Development (Ministry of Defence)
The Dharamsi Morarji Chemicals Co. Ltd., Ambernath
United Planters' Association of Southern India, Coonoor
The Fertilizer Association of India, Hyderabad

Sindri Fertilizers & Chemicals Private Ltd., Sindri

Indian Agricultural Research Institute, New Delhi

Superphosphate Factory, Sindri (Government of Bihar)

Indian Tea Association, Calcutta

(All Rights Reserved)

INDIAN STANDARDS INSTITUTION
19 UNIVERSITY ROAD, CIVIL LINES
DELHI 8

Revised Price

February 1957

Indian Standard

SPECIFICATION FOR BONE-MEAL, STEAMED

0. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 15 October 1956, on approval by the Chemical Division Council of the draft finalized on 21 June 1956 by the Heavy Chemicals (Inorganic) Sectional Committee.

0.2 Bones subjected to the action of steam under pressure can be easily crushed to fine powder. The resulting product known as steamed bone-meal finds its largest use as a phosphatic fertilizer. Prolonged steaming of bones immersed in water in a digester, involves extraction of fat, glue and nitrogenous organic matter. This product, known as steamed digested bone-meal contains smaller amounts of nitrogen and correspondingly higher amount of phosphates. Since at present there is no sufficient production of steamed digested bone-meal in this country the Committee responsible for the preparation of this standard decided to have one standard for steamed bone-meal covering both the types. The Committee also decided not to fix any requirement for nitrogen content of the material because its use as fertilizer is valued chiefly for its phosphoric acid content. It is hoped that this standard will give a fillip to the indigenous industry to manufacture quality products.

0.3 Taking into consideration the views of the producers, consumers and technologists, the Committee responsible for the preparation of this standard felt that it should be related to the prevailing manufacturing and trade practices followed in the country in this field. Furthermore, due weightage had to be given to the need for international co-ordination between standards prevailing in different countries of the world. These considerations led the Committee to refer to the following publications:

- a) OFFICIAL AND TENTATIVE METHODS OF ANALYSIS. 7th ed. Association of Official Agricultural Chemists. 1950.
- b) FERTILIZERS AND FEEDING STUFF ACT. Statutory Rules and Orders No. 658. United Kingdom. 1932.

0.4 This standard is one of a series of Indian Standards on fertilizers. Other Indian Standard Specifications in the series published so far are:

- IS: 294-1951 SUPERPHOSPHATE
- IS: 826-1955 AMMONIUM SULPHATE, TECHNICAL
- IS: 853-1956 BONE-MEAL, RAW
- IS: 1013-1956 TRIPLE SUPERPHOSPHATE
- IS: 1022-1956 KOTKA PHOSPHATE
- IS: 1023-1956 DICALCIUM PHOSPHATE

0.5 Indian Standard Specification for Bone-Meal, Raw (IS: 853-1956) is a necessary adjunct to this standard. Besides, this standard requires reference to Indian Standard Specification for Test Sieves (IS: 460-1953).

0.5.1 Wherever a reference to IS: 853-1956 appears in this standard, it shall be taken as a reference to the latest version of IS: 853-1956.

0.6 For particle size, the aperture size is based upon IS: 460-1953. Where these sieves are not available, other equivalent standard sieves, as judged by the aperture, may be used. For purpose of comparison the corresponding size according to British Standard Sieves and sieves of the American Society for Testing Materials (ASTM) are given in Appendix B.

0.7 The Government of India have decided to introduce throughout the country a uniform system of weights and measures based on the metric system. Keeping this decision in view, measurements and weights have been given in the metric system. Where the present practice in the country is to use the foot-pound system, figures have been given in this system and equivalents, in round figures, in the metric system have been indicated. It is expected that this will assist the industry to familiarize itself with the metric system so that, in course of time, the use of foot-pound system may be replaced.

0.8 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be

rounded off in accordance with IS: 2-1949 Rules for Rounding Off Numerical Values; the number of places retained in the rounded off value should be the same as those of the specified value in the standard.

0.9 This standard is intended chiefly to cover the technical provisions relating to the supply of the material, and it does not include all the necessary provisions of a contract.

1. SCOPE

1.1 This standard prescribes the requirements for Bone-Meal, Steamed, used for manurial purposes.

2. SAMPLING

2.1 Representative samples of the material shall be drawn as prescribed in Appendix A of IS: 853-1956.

3. REQUIREMENTS

3.1 Description — The material shall be in the form of particles, without undue amount of fluffy or foreign matter, and free flowing.

3.2 Particle Size — Not less than 90 percent by weight of the material shall pass through IS Sieve 120 (see Appendix B).

3.3 The material shall comply with the requirements given in Table I, when tested according to the methods prescribed in Appendix B of IS: 853-1956. References to the relevant clauses of Appendix B of IS: 853-1956 are given in col 4 of Table I.

3.3.1 With respect to steamed bone-meat containing more than 16.0 percent by weight of available phosphates soluble in 2 percent citric acid solution, the manufacturer should be entitled to a pro-rata premium for every unit (i.e., 1 percent by weight) of available phosphate (as P_2O_5) soluble in 2 percent citric acid solution over and above the minimum 16.0 percent prescribed.

4. PACKING AND MARKING

4.1 The material shall be packed in jute bags or multi-wall paper bags lined with polythene films or in such other containers as agreed between the purchaser and the vendor.

TABLE I REQUIREMENTS FOR BONE-MEAL, STEAMED

(Clause 3.3)

Sl. No.	CHARACTERISTIC	REQUIREMENT	METHOD OF TEST	
			Ref to Appendix	Ref to Cl No. of Appendix B in IS: 853-1956
(1)	(2)	(3)	(4)	(5)
i)	Free moisture, percent by weight, <i>max</i>	7.0	A	—
ii)	Total phosphates (as P_2O_5) percent by weight, (dry basis), <i>min</i>	22.0	—	B-4
iii)	Available phosphates (as P_2O_5) solution in 2 percent citric acid solution, percent by weight, (dry basis), <i>min</i>	16.0	—	B-5

4.2 The containers shall be securely closed and marked with the name of the material and the manufacturer, weight of the material in the container, the guaranteed percentage by weight of total phosphates and available phosphates and recognized trade mark, if any.

4.2.1 The containers may also be marked with ISI Standard Certification Mark.

NOTE — The use of the ISI Standard Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act, 1952 and the rules and regulations made thereunder. Details of conditions under which a licence for the use of ISI Certification Mark may be granted to manufacturers or processors may be obtained from the Indian Standards Institution, 19 University Road, Delhi 8.

APPENDIX A

(Clause 3.3)

DETERMINATION OF FREE MOISTURE**A-1. PROCEDURE**

where

A-1.1 Weigh accurately about 5 g of the material and dry in an oven at $100^{\circ} \pm 2^{\circ}\text{C}$ to constant weight.

A = weight of the empty bottle,

B = weight of the bottle and the material before drying, and

C = weight of the bottle and the material after drying.

A-1.2 Calculation

Free moisture,
percent by weight = $100 \times \frac{(B-C)}{(B-A)}$

APPENDIX B

(Clauses 0.6 and 3.2)

COMPARATIVE TABLE FOR THE INDIAN, BRITISH AND ASTM SIEVE SIZES**B-1. COMPARATIVE SIEVE SIZES**

test sieves against the corresponding size and

B-1.1 Table II gives the comparative size designation of IS Sieve quoted in this standard together with the designation of BS and ASTM standard.

TABLE II COMPARATIVE TABLE FOR INDIAN, BRITISH AND ASTM SIEVE SIZES AND DESIGNATIONS

Sl No.	*IS		BS		ASTM	
	Sieve Designation	Aperture (microns)	Sieve Designation	Aperture (microns)	Sieve Designation	Aperture (microns)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
i)	120	1 201	14	1 204	16	1 190

*See also IS: 460-1953.

ERRATUM

IS:1014-1956 SPECIFICATION FOR BONE-MEAL, STEAMED

Page 3, Table I, col 2, line 2 of Sl No. (iii)

please read 'soluble' *for* 'solution'